Agricultural Livestock Operation Permit Application General Information

Applications are completed in a series of steps. Please complete the fields below and then press **Next**. You will then be able to **Complete** required forms, **Attach** project documentation, **Include** your digital signature, and **Submit** your application to the DNR.

Basic Permit Info

NOTE: Missing or incomplete fields are highlighted on the application and at the bottom of each page. Once all

required fields are completed you may navigate away from that page. After navigating away from a page, you

may return to it to make changes.

Project Name (Required: Project will be saved to system using this name)

Ridge Breeze Dairy Permit Modification

Permit Action <u>Permit Application</u>

Activity 3400-apprenewal

Facility County Pierce

Facility Name Ridge Breeze Dairy

Facility Number 29902

Application Reissuance

Fill out the project and facility information above and press Next. Fill out all displayed forms.

- Please reference "Reissuance or modification of CAFO WPDES Permits"
- Fill out the application Form (3400-25 Livestock /Poultry Operations).
- Instructions for Form 3400-25
- Fill out Form 3400-25A (Animal Units Calculation Worksheet).
- Instructions for Form 3400-25A
- Fill out Form 3400-25B Nutrient Management Plan Checklist.
- Fill out Form 3400-25C Reviewable Facilities and Systems Checklist.
- Attach files for Nutrient Management Plan, Plans and Specifications, SNAP plus files, Plans and
 Specifications/Evaluations, Liquid waste Storage volume Calculation Worksheet (180-days liquid manure
 storage volume calculations or equivalent) and supporting documentation for 180-day liquid manure storage
 volume calculations, maps showing the features and structures at each site, and Environmental Analysis
 Questionnaire (if required).
- Electronically Sign and Submit form

State of Wisconsin Department of Natural Resources PO Box 7185, Madison, WI 53707-7185 dnr.wi.gov Livestock/Poultry Operation WPDES
Permit Application

Form 3400-025 (R 2/12) Page 1 of 2

Notice: Pursuant to ch. NR 243, Wis. Adm. Code and s. 283.53(3), Wis. Stats., this Wisconsin Pollutant Discharge Elimination System (WPDES) form is required by the Department of Natural Resources (DNR) to be submitted, along with Form 3400-025A and all other required application materials, by the owner or operator of a Concentrated Animal Feeding Operation (CAFO). The Department will not consider your application complete unless you complete and submit this application form. Penalties for failure to submit a completed application are established in ss. 283.89 and 283.91, Wis. Stats. [Section 283.91(4), Wis. Stats., provides that: Any person who knowingly makes any false statement, representation or certification in this application shall upon conviction be punished by a fine of not more than \$10,000 or by imprisonment for not more than 6 months or both.] Personal information collected will be used for administrative purposes and may be provided to requesters to the extent required by Wisconsin's open records law [ss. 19.31-19.39, Wis. Stats.].

Section I. Contact Information Legal Name for Permit Issuance & Operator Contact Information Legal name of the operation to which the permit will be issued or Legal Name of the Parent Company (if different from the operation) Ridge Breeze Dairy Name of Operator or Manager (First) (Last)

Brad Gerrits				Director of Operations		ns	
Mailing / Mail		City / Town Maiden Rock			State <u>WI</u>	Zip Code 54750	
Phone Number (incl. area code) 920-944-9450	020 044 0450		Fax Number (incl. area code) E-mail Add bgerrits@			Address s@breezedairygroup.com	
Parent Company Owner I	nformatio	n Status:	✓ Select if same as Ope	rator			
Name of Parent Company / Owner of Ridge Breeze Dairy	(if different fro	om operator abo	ve)				
Contact Person (First) Brad	(La	ast)			Title Dire	ector of Operation	ons
Mailing Address - Street, Route or W2686 390th Ave	Box		City /Town Maiden Rock	*		State <u>Wl</u>	Zip Code 54750
Phone Number (incl. area code) 920-944-9450	Cell Phone i	Number			E-mail Address bgerrits@breezedairygroup.com		oup.com
Crop Consultant							
Name of Crop Consultant (First, Las Nathen Nysse	st)		Company Title Tilth Agronomy Group Agrono			Agronomist	
Mailing Address - Street, Route or W7684 Hillwood Court	Вох		City / Town Hortonville			State <u>Wl</u>	Zip Code 54944
Phone Number (incl. area code) 920-858-5756	Cell Phone 1 920-858-		Fax Number (incl. area code)		E-mail Address nathen@tilthag.com		
Design Engineer							
Name of Design Engineer (First, Last) David McDaniel		Company Title Auth Consulting & Associates P. E.					
Mailing Address - Street, Route or Box 406 Technology Drive E.		City / Town State Menomonie <u>WI</u>			Zip Code 54751		
Phone Number (incl. area code) 715-232-8490 Cell Phone Number		Fax Number (incl. area code) E-mail Address dmcdaniel@authconsulting.com			ng.com		

Section II:	Site Inform	nation (Must be completed i	for each site.)					
This operation us	ses the site for (ch	eck all that apply):						
Animal l	housing							
☐ Manure	storage							
☐ Feed sto	rage							
filled out for or storing fee included with	the main site ed associated h each Site In	with your operation. Remo	h are owned or op	erated by	y your far	m for the purp	ose of housi	ng animals, storing manure,
	,	on of Operation						
	peration (Site Na	me):				1		
Ridge Breeze Da	•			City		Ctata	7:	
Location Address				City: Maiden	Rock	State: WI	Ziŗ	4750
W2686 390t	:h Avenue			Walden	1.001	<u> </u>	,	
County		City Town Village	Township:	Range:	○ E	Section:	- 1	QQ:
<u>48</u>	SA	<u>LEM;T</u>	25 N	16	● w	01	<u>SE</u>	<u>NW</u>
Current/Pro	jected Anim	al Units & Expansion Da	ites				1	
12 month period Check he 2. Use the Project days in a 12 mon Check he 3. List the date of	at this site. Attackere if there are ted AU Calculation the period at this siere if there is f proposed expansion.	n the corresponding Current AU Care no animals housed at this ons Worksheet (Form 3400-025A) ite within the next five years. Attac no proposed expansion(s) sion(s) (i.e. increase in animals, corrections to the correction of the	s site for more that to determine the propose that the corresponding Pro- at this site within instructing new structure	o this Site D in 45 days ed number of ojected AU the next s, modifying	escription sets in a 12 r of animal un Calculations five years g existing str	nonth period. its that will be held Worksheet to this s. cuctures) at this site	d in confinement Site Description	
Expansion 1: 5/1	1/2024 E	xpansion 2: Exp	pansion 3:	Expan	sion 4:	Exp	pansion 5 :	
_		pansions(s) will disturb on						
		Composting Facilities/Wa			t Facilitie	es		
concrete floor, sy unconfined manu and the date the s engineering evalu	rnthetically lined, are stack, etc. Ider storage was built o	atify the type of waste(s) (e.g. solid or the proposed date of construction ave of the structure. If no documen	below ground storage to manure, liquid manure, n. Specify the type of de	ank, anaerol , feed storag sign docum	oic lagoon, r se runoff or l entation suc	oofed storage shed ot runoff, process h as plans and spec	l, under-floor stor wastewater, septi cifications, post o	include earthen, earthen with a age, stacking slab (clay or concrete) c waste, digester, etc.) that is stored onstruction documentation, and/or a curres must be identified on the site
Waste containing Facility #	Existing or Proposed	Storage Type	Type of Waste	Т	otal Usable Volume	Units	Year Built	Storage Facility Design Documents
1	Existing	<u>Earthen</u>	<u>Liquid manure</u>	1,8	880,503	gallons	2000	None
2	Existing	<u>Earthen</u>	Liquid manure	4,8	852,593	gallons	2004	None
3	Existing	Concrete	Composted manure	23	2,337	tons	2017	<u>None</u>
4	Existing	<u>Concrete</u>	Liquid manure	9,	724,933	gallons	2023	<u>None</u>
Types of Ou	tside Animal	Lots / Confinement Areas						

List all existing and proposed outside animal lots/confinement areas located at this site. These may include outdoor barn yard or feedlot, housed under roof or partially housed under roof or outdoor vegetated area. This does not need to include total confinement barns. Identify the number, avg. weight, and type of animals (e.g. 50/800lbs/heifers) and whether or not there is a runoff control system associated with the lot. Types of runoff control systems may include vegetated treatment area, collection tank, roof, etc. Specify the type of design documentation such as plans and specifications, post construction documentation, and/or an engineering evaluation you may have of the area. If no documentation exists, indicate none in the space provided. All the existing and proposed outside animal lots and confinement areas must be identified on the site map associated with this description.

Confinement Area #	Existing or Proposed	Outdoor Lot / Confinement Area Type	Number/Avg. weight(in lbs.)/Type	Runoff Control	Confinement Area Design Document
3	Existing	<u>Under roof</u>	300 1400 Milking/Dry cows	<u>No</u>	None

4									
	Existing	<u>Ur</u>	<u>nder roof</u>	700		<u>No</u>		<u>None</u>	
				1400					
				Milking/Dry cows					
5	Existing	<u>Ur</u>	nder roof	700		<u>No</u>		<u>None</u>	
	_			1400					
				Milking/Dry cows					
Types of Fe	ed Storage A	Areas							
corn silage/100 the area. If no description. Ch	otons). Specify the documentation of eck the box if ba	he type of exists, indi- igs are use	design documentation su cate none in the space pr d for feed storage	ich as plans and specifications,	post construction	documentatio	n, and/or a	ify the type and amount of feed stored (e.g n engineering evaluation you may have of l on the site map associated with this	
	ere if bags are us	ed for fee	d storage						
Feed Storage Area #	Existing or Proposed	Fee	d Storage Area Type	Type & Amount of Feed Stored	Runoff		Fee	d Storage Area Documentation	
Areu #	1			Storeu	Control				
12	Existing	Asphal	t pad	3500	<u>Yes</u>	None	<u>!</u>		
				Haylage					
12	Existing	Asphal	t pad	28000	<u>Yes</u>	None	<u>None</u>		
				Corn Silage					
confinement a	rea, or feed stora	age. Specif	y the type of design docu	mentation such as plans and s	pecifications, post	construction d	ocumentat	f, etc. Identify the associated outdoor lot, ion, and/or an engineering evaluation you smust be identified on the site man.	
confinement ar may have of th	rea, or feed stora	age. Specif locumenta <u>1</u>	y the type of design docu	mentation such as plans and s in the space provided. <u>All the</u>	pecifications, post existing and propo	construction dosed runoff con	ocumentat trol system		
confinement al may have of the associated with Runoff Control System #	rea, or feed stora e system. If no d n this description Existing or Pri	age. Specif locumenta <u>1</u> roposed	y the type of design docu tion exists, indicate none Type of Runoff Conti System Collection tank	mentation such as plans and s in the space provided. All the ol Associated Outdoor Stacking Area #	pecifications, post existing and propo	construction dosed runoff con ge/ Area #	ocumentat trol system Runoj None	ion, and/or an engineering evaluation you s must be identified on the site map	
confinement at may have of the associated with Runoff Control System # 9	e system. If no do this description Existing or Pi Existing Existing Existing	age. Speciflocumenta oroposed	y the type of design docution exists, indicate none Type of Runoff Contu- System Collection tank Collection tank	mentation such as plans and s in the space provided. All the all Associated Outdoor Stacking Area #	pecifications, post existing and propo	construction dosed runoff con ge/ Area #	ocumentat trol system Runoj None	ion, and/or an engineering evaluation you s must be identified on the site map	
confinement at may have of the associated with Runoff Control System # 9 13 Other Site	rea, or feed stora e system. If no don this description Existing or Property of Existing Existing Existing Information the site tha	age. Speciflocumenta oroposed	y the type of design docution exists, indicate none Type of Runoff Contu- System Collection tank Collection tank	mentation such as plans and s in the space provided. All the ol Associated Outdoor Stacking Area #	pecifications, post existing and propo	construction dosed runoff con ge/ Area #	ocumentat trol system Runoj None	ion, and/or an engineering evaluation you s must be identified on the site map	
confinement at may have of the associated with Runoff Control System # 9 13 Other Site Please select Ridge Breeze	rea, or feed stora e system. If no d n this description Existing or Pri Existing Existing Information the site that	on t serves	ty the type of design docution exists, indicate none Type of Runoff Control System Collection tank Collection tank as the primary site	mentation such as plans and spin the space provided. All the space provided. All the space provided. All the space provided all the space provided. Associated Outdoor space as space as space provided as space a	pecifications, post existing and propo	construction dosed runoff con ge/ Area #	Runoj None None	ion, and/or an engineering evaluation you is must be identified on the site map Iff Control System Design Documentation	
confinement at may have of the associated with Runoff Control System # 9 13 Other Site Please select Ridge Breeze	e system. If no do not this description Existing or Pi Existing Existing Existing Information the site that t	on t serves	ty the type of design docution exists, indicate none Type of Runoff Control System Collection tank Collection tank as the primary site	mentation such as plans and spin the space provided. All the space provided. All the space provided. All the space provided all the space provided. Associated Outdoor space as space as space provided as space a	pecifications, post existing and propo	construction dosed runoff con ge/ Area #	Runoj None None	ion, and/or an engineering evaluation you is must be identified on the site map If Control System Design Documentation	
confinement at may have of the associated with Runoff Control System # 9 13 Other Site Please select Ridge Breeze Was your face	e system. If no don this description Existing or Pri Existing Existing Existing Existing Existing Existing Existing Existing Existing	on t serves	ty the type of design docution exists, indicate none Type of Runoff Control System Collection tank Collection tank as the primary site	mentation such as plans and spin the space provided. All the space provided. All the space provided. All the space provided all the space provided. Associated Outdoor space as space as space provided as space a	pecifications, post existing and propo	construction dosed runoff con ge/ Area #	Runoj None None	ion, and/or an engineering evaluation you is must be identified on the site map Iff Control System Design Documentation	
confinement at may have of the associated with Runoff Control System # 9 13 Other Site Please select Ridge Breeze Vas your falls R 243.26? Yes	rea, or feed stora e system. If no do this description Existing or Property of Existing Existing Existing Information the site that e Dairy arm designation No	on t serves	ty the type of design docution exists, indicate none Type of Runoff Control System Collection tank Collection tank as the primary site	mentation such as plans and sin the space provided. All the space provided. All the space provided. All the space provided all the space provided. All the space provided all the space	pecifications, post existing and propo	construction dosed runoff con ge/ Area #	Runoj None None	ion, and/or an engineering evaluation you is must be identified on the site map Iff Control System Design Documentation	
confinement al may have of the associated with Runoff Control System # 9 13 Other Site Please select Ridge Breeze Vas your falls R 243.26? Yes f yes, what	rea, or feed stora e system. If no do this description Existing or Property of Existing Existing Existing Information the site that e Dairy arm designation of the site that e Dairy arm designation of the site was yellowed the site was yel	on t serves	ty the type of design docution exists, indicate none Type of Runoff Control System Collection tank Collection tank as the primary site defined as a sma	mentation such as plans and synthems are provided. All the space provided p	pecifications, post existing and propo	construction dosed runoff con ge/ Area #	Runoj None None	ion, and/or an engineering evaluation you s must be identified on the site map	
confinement al may have of the associated with Runoff Control System # 9 13 Other Site Please select Ridge Breeze Vas your falls R 243.26? Yes f yes, what	rea, or feed stora e system. If no do this description Existing or Property of Existing Existing Existing Information the site that e Dairy arm designation of the site that e Dairy arm designation of the site was yellowed the site was yel	on t serves	ty the type of design docution exists, indicate none Type of Runoff Control System Collection tank Collection tank as the primary site defined as a sma m designated/de	mentation such as plans and synthems are provided. All the space provided p	pecifications, post existing and propo	construction dosed runoff con ge/ Area #	Runoj None None	ion, and/or an engineering evaluation you is must be identified on the site map Iff Control System Design Documentation	
confinement al may have of the associated with Runoff Control System # 9 13 Other Site Please select Ridge Breeze Vas your falls R 243.26? Yes f yes, what	rea, or feed stora e system. If no do this description Existing or Property of Existing Existing Existing Information the site that e Dairy arm designation of the site that e Dairy arm designation of the site was yellowed the site was yel	on t serves	ty the type of design docution exists, indicate none Type of Runoff Control System Collection tank Collection tank as the primary site defined as a sma m designated/de	mentation such as plans and synthems are provided. All the space provided p	pecifications, post existing and propo	construction dosed runoff con ge/ Area #	Runoj None None	ion, and/or an engineering evaluation you is must be identified on the site map Iff Control System Design Documentation	

State of Wisconsin Department of Natural Resources PO Box 7921, Madison WI 53707-7921 dnr.wi.gov

I. Operation Information

Nutrient Management Plan Checklist Livestock/Poultry Operation WPDES Permit Application

Form 3400-025B (R 3/12)

Page 1 of 3

Notice: Pursuant to ch. NR 243, Wis. Adm. Code and s. 283.53(3), Wis. Stats., this form is required to be submitted, along with Form 3400_025A and all other required application materials, by the owner or operator of a concentrated animal feeding operation (CAFO). The Department will not consider your application unless you provide and submit complete information. Penalties for failure to submit a completed form are established in ss. 283.89 and 283.91, Wis. Stats. Personal information collected will be used for administrative purposes and may be provided to requesters to the extent required by Wisconsin's Open Records Law (ss. 19.31-19.39, Wis. Stats.)

Operation		Contact (First nam			, Last name) WPDES Permit No				
Ridge Breeze Dairy		Brad	Gerrits		0062928				
Location Address - Street, Route or	City State			State	Zip Co	ode			
W2686 390th Ave		Maiden Rock			WI	5475	0		
Phone Number (xxx-xxx-xxxx)	Cell Phone (xxx-xxx-	Fax Number (xxx-	-xxx-xxxx)	I _{Ema}	il Address				
920-427-3886	(XXX)	(,		rrits@breezedairy@	aroup.con	n		
				1.3	,	J			
II. Preparer Information									
Name of Crop Consultant (First, Las	st)	Company Tilth Agronomy	Croup		Title	Agrono	miot		
Nathen Nysse		,	Group		1		JIIISt		
Mailing Address - Street, Route or B W7684 Hillwood Court	OX	City Hortonville			State <u>Wl</u>	Zip Code 54944			
	Cell Phone (xxx-xxx-xxxx)	Fax Number (xxx-	vvv vvvv)	IEn	nail	34344			
THORE HUMBER (NOV. NOV.)	920-858-5756	rax Number (xxx-	-xxx-xxxx)		athen@tilthag.com				
920-858-5756	020 000 0100		1						
1) Plan Type(select one)			Applicable C	irowi	ng Session				
Initial Plan	al Update 🔾 Permit Ro	enewal	2024						
2) Total acres covered by NN	<i>M</i> P: 7,533		Total spread	able a	creage:		7,359	acres	
C 1 1	90			-			7,444	acres	
Cropland acres owned:	1 1' .'		Agreement of					acics	
3) Total acreage used for land in previous 12 months:	d application 1,575.0		Total animal months:	s at ta	acility in pervious	s 12	2,380		
Waste Type	Amount Generat	ted Annually		ount	Transferred An	nually	Units		
waste Type	Amount General	ted Aillidally		ount	Transferred Air	illually		ns or tons)	
Liquid Manure and Process	77,700,000		0				gallon	·	
Wastewater	17,700,000		U				Bullott	,	
Solid Manure & Litter	1,000		0			tons	tons		
	1,000								
III. NR 243 CAFO Nutrient Manag	rement Plan (NMP) Chec	klist							
Check yes or no and provide th	<u>, , , , , , , , , , , , , , , , , , , </u>		ure to provid	e iten	n location may de	elav revie	ew of the NM	P by the DNR	
and/or require resubmittal of t			м. с со р. с с. с.			,		<i>5</i> , <i>5</i>	
							Yes No	Section	
1. Does plan meet Wisconsin	's NRCS 590 Nutrient	Management S	Standard nut	rient	budgeting, soil t	est	• 0	1	
recommendations, selecting								_	
vegetation in all areas of c http://www.wi.nrcs.usda.go			ring gullies?	(NRC	S soil unit criteri	ıa:			
2. Does plan contain fields w			oundwater?				• 0	1	
If yes, do these fields meet 1				na rec	etrictions?		_		
	-						• 0	1	
Joes plan contain NRCS 5 applications that cause drawn of the second						•	\odot	1	
must include methods to pro						e runoff	-		
to waterways and notify DN	NR of spills or accidenta	al release)							
4. Does plan contain a copy of	of NRCS 590 checklist	?					\odot	2	
5. Does plan have a narrative	e that describes:								
-								$\overline{}$	

a. Expected numbers of animal units on site at end of first year of permit coverage and also expected numbers for remaining permit term (next 4 yrs) NR 243.12(2)(6), Wis. Adm. Code	• 0	2
b. Expected amounts and types of manure and process wastewater produced on annual basis.	• 0	2
c. Amount of manure and process wastewater to be land applied	• 0	2
d. Anticipated frequency and method(s) of land application	• 0	2
e. Other methods of use, disposal, distribution or treatment of manure or process wastewater.	• •	2
f. Tillage and crop rotation information for all fields owned or rented or in `agreements'.	• •	2
g. Total acreage available (by landowner) for land application owned, rented or in `agreements'. Notice: Pursuant to ch. NR 243, Wis. Adm.	• 0	2

Nutrient Management Plan Checklist Livestock/Poultry Operation WPDES Perm Application Form 3400-025B (R 3/12) Page 2 c

 a. General manure and process wastewater application requirements - NR 243.14(2)(b)(1-13) & (c-f), Wis. Adm. AND methods explaining how they will be met on all fields in plan (e.g., field and map verification procedures applicable best management practices and recordkeeping procedures to track actions taken). i. Nutrient crediting requirements - NR 243.14(3), Wis. Adm. Code- and how they will be met j. SWQMA application restriction option for each field AND methods explaining how restriction(s) will be met -243.14(4), Wis. Adm. Code. k. Phosphorus delivery method (P Index or Soil Test P) for each field AND management strategy for fields with s test P above 100 ppm and 200 ppm - NR 243.14(5), Wis. Adm. Code. l. Fields adjacent to or with high potential to drain to impaired or outstanding/exceptional waters (see DNR impa waters map tool: http://dnrmaps.wisconsin.gov/imf/imf.jsp/ster-Surface/WaterViewer) l. Identification of sites for winter (frozen or snow covered ground) applications that meet criteria in tables 4 and manure - NR 243.14(6-8) - AND methods explaining how they will be met. (NOTE: Fields selected for winter application must have the lowest risk of pollutant delivery to waters of the state and have winter acute loss index value of 4 or less using the Wisconsin Phosphorus Index). n. Documentation of adequate storage (180 days) and methods of maintaining adequate storage - NR 243.14(9) at 243.17(3), Wis. Adm. Code. 6 Are the following field features identified as restricted or high risk areas on spreading maps: (NOTE: Checking yes requires plan narrative to describe methods or procedures to identify, avoid, eliminate or minimize the surface or ground water quality risk each feature represents). a. Private, non-community drinking water wall (100ft setback) b. Community drinking water wall (100ft setback) c. Soils within 24 inches of apparent water table or bedro		Yes No	Sectio
i. Nutrient crediting requirements - NR 243.14(3), Wis. Adm. Code- and how they will be met 243.14(4), Wis. Adm. Code. 2 Phosphorus delivery method (P Index or Soil Test P) for each field AND management strategy for fields with s test P above 100 ppm and 200 ppm - NR 243.14(5), Wis. Adm. Code. 1. Fields adjacent to or with high potential to drain to impaired or outstanding/exceptional waters (see DNR impa waters map tool: http://dnrmaps.wisconsin.gov/imf/imf.jsp/site-SurfaceWaterViewer) In Identification of sites for winter (frozen or snow covered ground) applications that meet criteria in tables 4 and manure - NR 243.14(6-8) - AND methods explaining how they will be met. (NOTE: Fields selected for winter application must have the lowest risk of pollutant delivery to waters of the state and have winter acute loss index value of 4 or less using the Wisconsin Phosphorus Index). 1. Documentation of adequate storage (180 days) and methods of maintaining adequate storage - NR 243.14(9) at 243.17(3), Wis. Adm. Code. 2. Are the following field features identified as restricted or high risk areas on spreading maps: (NOTE: Checking yes requires plan narrative to describe methods or procedures to identify, avoid, eliminate or minimize the surface or ground water quality risk each feature represents). 3. Private, non-community drinking water well (100ft setback). 4. Community drinking water well (1,000ft setback). 5. Community drinking water well (1,000ft setback). 6. Soils within 24 inches of apparent water table or bedrock at time of application (NOTE: water table depth may over time and requires field investigation to determine actual depth to groundwater before application) a. Fields over 200 ppm soil test phosphorus (manure spreading prohibited unless department approval) b. Direct conduits to groundwater (100ft setback). f. SWQMA areas and 100ft prohibition, or equivalent. (NOTE: maps must identify all conduits to navigable w	nethods explaining how they will be met on all fields in plan (e.g., field and map verification procedures,	• 0	2
243.14(4), Wis. Adm. Code. k. Phosphorus delivery method (P Index or Soil Test P) for each field AND management strategy for fields with s test P above 100 ppm and 200 ppm -NR 243.14(5). Wis. Adm. Code. l. Fields adjacent to or with high potential to drain to impaired or outstanding/exceptional waters (see DNR impa waters map 100:1 http://dnrmaps.wisconsin.gov/im/Fimf.jsp?site=SurfaceWaterViewer) m. Identification of sites for winter (frozen or snow covered ground) applications that meet criteria in tables 4 and manure - NR 243.14(6-8) - AND methods explaining how they will be met. (NOTE: Fields selected for winter application must have the lowest risk of pollutant delivery to waters of the state and have winter acute loss index value of 4 or less using the Wisconsin Phosphorus Index). n. Documentation of adequate storage (180 days) and methods of maintaining adequate storage - NR 243.14(9) at 243.17(3), Wis. Adm. Code. Are the following field features identified as restricted or high risk areas on spreading maps: (NOTE: Checking yes requires plan narrative to describe methods or procedures to identify, avoid, eliminate or minimize the surface or ground water quality risk each feature represents). private, non-community drinking water well (100ft setback). Community drinking water well (1,000ft setback). Soils within 24 inches of apparent water table or bedrock at time of application (NOTE: water table depth may over time and requires field investigation to determine actual depth to groundwater before application) Fields over 200 ppm soil test phosphorus (manure spreading prohibited unless department approval) Fields over 200 ppm soil test phosphorus (manure spreading prohibited unless department approval) Fields over 200 ppm soil test phosphorus (manure spreading prohibited unless department approval) Wetlands and 25ft setback OR start of the SWQMA if connected to navigable waters fact sheet: http://www.dnr.state.wi.us/ore/water/hph/waterwal/factsheets/index.htm Wetlands and 25ft setback OR start		• 0	2
test P above 100 ppm and 200 ppm - NR 243.14(5), Wis. Adm. Code. Fields adjacent to or with high potential to drain to impaired or outstanding/exceptional waters (see DNR impawaters map tool: http://dnrmaps.wisconsin.gov/imf/imf.jsp?site=SurfaceWaterViewer) In Identification of sites for winter (frozen or snow covered ground) applications that meet criteria in tables 4 and manure - NR 243.14(6-8) - AND methods explaining how they will be met. (NOTE: Fields selected for winter application must have the lowest risk of pollutant delivery to waters of the state and have winter acute loss index value of 4 or less using the Wisconsin Phosphorus Index). Documentation of adequate storage (180 days) and methods of maintaining adequate storage - NR 243.14(9) at 243.17(3), Wis. Adm. Code. Are the following field features identified as restricted or high risk areas on spreading maps: (NOTE: Checking yes requires plan narrative to describe methods or procedures to identify, avoid, eliminate or minimize the surface or ground water quality risk each feature represents). Private, non-community drinking water well (100ft setback). Community drinking water well (1,000ft setback). Community drinking water well (1,000ft setback). Community drinking water well (1,000ft setback). Fields over 200 ppm soil test phosphorus (manure spreading prohibited unless department approval) or rick encountries of proceeding and 100ft prohibition, or equivalent. (NOTE: maps must identify all conduits to navigable water These include: ditches, concentrated flow channels, sinkholes, agricultural well heads, open tile line intake structures or open vent pipes in fields that discharge to navigable waters and grassed waterways that drain directly to a navigable water. See DNR navigable water fact sheet: http://www.dnr.state.wi.us/org/water/flp/waterway/factsheets/index.html Weltands and 25ft setback OR start of the SWQMA if connected to navigable water - NR 243.14 (• 0	2
m. Identification of sites for winter (frozen or snow covered ground) applications that meet criteria in tables 4 and manure - NR 243.14(6-8) - AND methods explaining how they will be met. (NOTE: Fields selected for winter application must have the lowest risk of pollutant delivery to waters of the state and have winter acute loss index value of 4 or less using the Wisconsin Phosphorus Index). 1. Documentation of adequate storage (180 days) and methods of maintaining adequate storage - NR 243.14(9) at 243.17(3), Wis. Adm. Code. 6 Are the following field features identified as restricted or high risk areas on spreading maps: (NOTE: Checking yes requires plan narrative to describe methods or procedures to identify, avoid, eliminate or minimize the surface or ground water quality risk each feature represents). 2. Private, non-community drinking water well (100ft setback). 3. Private, non-community drinking water well (100ft setback). 4. Community drinking water well (1,000ft setback). 5. Coils within 24 inches of apparent water table or bedrock at time of application (NOTE: water table depth may over time and requires field investigation to determine actual depth to groundwater before application). 6. Direct conduits to groundwater (100ft setback). 7. SWQMA areas and 100ft prohibition, or equivalent. (NOTE: maps must identify all conduits to navigable water these include: ditches, concentrated flow channels, sinkholes, agricultural well heads, open tile line intake structures or open vent pipes in fields that discharge to navigable waters and grassed waterways that drain directly to a navigable water. See DNR navigable waters and grassed waterways that drain directly to a navigable water. 9. Wetlands and 25ft setback OR start of the SWQMA if connected to navigable water - NR 243.14 (4)(a) (2), Winder Adm. Code. See DNR wetlands map tool: http://dnmaps.wisconsin.gov/imf/imf.jsp? site=SurfaceWaterViewer, wetlands) 1. Fields adjacent to or with high potential to drain to impaired or outstanding/exceptional		• 0	2
m. Identification of sites for winter (frozen or snow covered ground) applications that meet criteria in tables 4 and manure - NR 243.14(6-8) - AND methods explaining how they will be met. (NOTE: Fields selected for winter application must have the lowest risk of pollutant delivery to waters of the state and have winter acute loss index value of 4 or less using the Wisconsin Phosphorus Index). n. Documentation of adequate storage (180 days) and methods of maintaining adequate storage - NR 243.14(9) at 243.17(3), Wis. Adm. Code. 6 Are the following field features identified as restricted or high risk areas on spreading maps: (NOTE: Checking yes requires plan narrative to describe methods or procedures to identify, avoid, eliminate or minimize the surface or ground water quality risk each feature represents). a. Private, non-community drinking water well (100ft setback). b. Community drinking water well (1,000ft setback). c. Soils within 24 inches of apparent water table or bedrock at time of application (NOTE: water table depth may over time and requires field investigation to determine actual depth to groundwater before application). d. Fields over 200 ppm soil test phosphorus (manure spreading prohibited unless department approval). e. Direct conduits to groundwater (100ft setback). f. SWQMA areas and 100ft prohibition, or equivalent. (NOTE: maps must identify all conduits to navigable water These include: ditches, concentrated flow channels, sinkholes, agricultural well heads, open tile line intake structures or open vent pipes in fields that discharge to navigable waters and grassed waterways that drain directly to a navigable water). See DNR navigable waters fact sheet: http://www.dnr.state.wi.us/org/water/fhp/waterway/factsheets/index.htm g. Wetlands and 25ft setback OR start of the SWQMA if connected to navigable water - NR 243.14 (4)(a) (2), Wi Adm. Code. See DNR wetlands map tool: http://dnrmaps.wisconsin.gov/imf/imf.jsp?site=SurfaceWaterViewer) i. Soils with: (1) High Permeability; (2) Within		• 0	2
 n. Documentation of adequate storage (180 days) and methods of maintaining adequate storage - NR 243.14(9) at 243.17(3), Wis. Adm. Code. 6 Are the following field features identified as restricted or high risk areas on spreading maps: (NOTE: Checking yes requires plan narrative to describe methods or procedures to identify, avoid, eliminate or minimize the surface or ground water quality risk each feature represents). a. Private, non-community drinking water well (100ft setback). b. Community drinking water well (1,000ft setback). c. Soils within 24 inches of apparent water table or bedrock at time of application (NOTE: water table depth may over time and requires field investigation to determine actual depth to groundwater before application). d. Fields over 200 ppm soil test phosphorus (manure spreading prohibited unless department approval). e. Direct conduits to groundwater (100ft setback). f. SWQMA areas and 100ft prohibition, or equivalent. (NOTE: maps must identify all conduits to navigable water These include: ditches, concentrated flow channels, sinkholes, agricultural well heads, open tile line intake structures or open vent pipes in fields that discharge to navigable waters and grassed waterways that drain directly to a navigable water). See DNR navigable waters fact sheet: http://www.dnr.state.wi.us/org/water/fhp/waterway/factsheets/index.htm g. Wetlands and 25ft setback OR start of the SWQMA if connected to navigable water - NR 243.14 (4)(a) (2), Winderson and the structure of the supplies of the supplies of the supplies water of the supplies water of the supplies of th	e - NR 243.14(6-8) - AND methods explaining how they will be met. (NOTE: Fields selected for winter ution must have the lowest risk of pollutant delivery to waters of the	• 0	2
Checking yes requires plan narrative to describe methods or procedures to identify, avoid, eliminate or minimize the surface or ground water quality risk each feature represents). a. Private, non-community drinking water well (100ft setback). b. Community drinking water well (1,000ft setback) c. Soils within 24 inches of apparent water table or bedrock at time of application (NOTE: water table depth may over time and requires field investigation to determine actual depth to groundwater before application) d. Fields over 200 ppm soil test phosphorus (manure spreading prohibited unless department approval) e. Direct conduits to groundwater (100ft setback). f. SWQMA areas and 100ft prohibition, or equivalent. (NOTE: maps must identify all conduits to navigable water These include: ditches, concentrated flow channels, sinkholes, agricultural well heads, open tile line intake structures or open vent pipes in fields that discharge to navigable waters and grassed waterways that drain directly to a navigable water). See DNR navigable waters fact sheet: http://www.dnr.state.wi.us/org/water/fhp/waterway/factsheets/index.htm g. Wetlands and 25ft setback OR start of the SWQMA if connected to navigable water - NR 243.14 (4)(a) (2), Wi Adm. Code. See DNR wetlands map tool: http://dnrmaps.wisconsin.gov/imf/imf.jsp? site=SurfaceWaterViewer, wetlands) h. Fields adjacent to or with high potential to drain to impaired or outstanding/exceptional waters (see DNR impa waters map tool: http://dnrmaps.wisconsin.gov/imf/imf.jsp?site=SurfaceWaterViewer) i. Soils with: (1) High Permeability; (2) Within 20 inches to bedrock; or (3) Within 12 inches to apparent water to (see Appendix 1, WI Tech Note WI-1 http://www.wi.nrcs.usda.gov/technical/technotes.html). j. Fields with ephemeral erosion, reoccurring gullies or concentrated flow channels. (NOTE: fields with such soil erosion features do not meet NRCS 590 and need to be stabilized with perennial vegetation or other runoff redupractices. Once established, manure cannot be applie	nentation of adequate storage (180 days) and methods of maintaining adequate storage - NR 243.14(9) and NR	• 0	2
 b. Community drinking water well (1,000ft setback) c. Soils within 24 inches of apparent water table or bedrock at time of application (NOTE: water table depth may over time and requires field investigation to determine actual depth to groundwater before application) d. Fields over 200 ppm soil test phosphorus (manure spreading prohibited unless department approval) e. Direct conduits to groundwater (100ft setback). f. SWQMA areas and 100ft prohibition, or equivalent. (NOTE: maps must identify all conduits to navigable water These include: ditches, concentrated flow channels, sinkholes, agricultural well heads, open tile line intake structures or open vent pipes in fields that discharge to navigable waters and grassed waterways that drain directly to a navigable water). See DNR navigable waters fact sheet: http://www.dnr.state.wi.us/org/water/fhp/waterway/factsheets/index.htm g. Wetlands and 25ft setback OR start of the SWQMA if connected to navigable water - NR 243.14 (4)(a) (2), Winder Code. See DNR wetlands map tool: http://dnrmaps.wisconsin.gov/imf/imf.jsp? site=SurfaceWaterViewer.wetlands) h. Fields adjacent to or with high potential to drain to impaired or outstanding/exceptional waters (see DNR impa waters map tool: http://dnrmaps.wisconsin.gov/imf/imf.jsp?site=SurfaceWaterViewer) i. Soils with: (1) High Permeability; (2) Within 20 inches to bedrock; or (3) Within 12 inches to apparent water to (see Appendix 1, WI Tech Note WI-1 http://www.wi.nrcs.usda.gov/technical/technotes.html). j. Fields with ephemeral erosion, reoccurring gullies or concentrated flow channels/grassed waterways. If detected, describe in narrative how and when such areas will be stabilized before any manure is applied on field where gullies exist.) k. Fields exceeding T - tolerable soil loss - over the crop rotation. 	ing yes requires plan narrative to describe methods or procedures to identify, avoid, eliminate or		
 c. Soils within 24 inches of apparent water table or bedrock at time of application (NOTE: water table depth may over time and requires field investigation to determine actual depth to groundwater before application) d. Fields over 200 ppm soil test phosphorus (manure spreading prohibited unless department approval) e. Direct conduits to groundwater (100ft setback). f. SWQMA areas and 100ft prohibition, or equivalent. (NOTE: maps must identify all conduits to navigable water These include: ditches, concentrated flow channels, sinkholes, agricultural well heads, open tile line intake structures or open vent pipes in fields that discharge to navigable waters and grassed waterways that drain directly to a navigable water). See DNR navigable waters fact sheet: http://www.dnr.state.wi.us/org/water/fhp/waterway/factsheets/index.htm g. Wetlands and 25ft setback OR start of the SWQMA if connected to navigable water - NR 243.14 (4)(a) (2), Winder-Surface-Water-Viewer, wetlands) h. Fields adjacent to or with high potential to drain to impaired or outstanding/exceptional waters (see DNR impa waters map tool: http://dnrmaps.wisconsin.gov/imf/imf.jsp?site=Surface-Water-Viewer i. Soils with: (1) High Permeability; (2) Within 20 inches to bedrock; or (3) Within 12 inches to apparent water to (see Appendix 1, WI Tech Note WI-1 http://www.wi.nrcs.usda.gov/technical/technotes.html). j. Fields with ephemeral erosion, reoccurring gullies or concentrated flow channels. (NOTE: fields with such soil erosion features do not meet NRCS 590 and need to be stabilized with perennial vegetation or other runoff redupractices. Once established, manure cannot be applied within vegetated flow channels/grassed waterways. If detected, describe in	, non-community drinking water well (100ft setback).	• 0	3
over time and requires field investigation to determine actual depth to groundwater before application) d. Fields over 200 ppm soil test phosphorus (manure spreading prohibited unless department approval) e. Direct conduits to groundwater (100ft setback). f. SWQMA areas and 100ft prohibition, or equivalent. (NOTE: maps must identify all conduits to navigable water These include: ditches, concentrated flow channels, sinkholes, agricultural well heads, open tile line intake structures or open vent pipes in fields that discharge to navigable waters and grassed waterways that drain directly to a navigable water). See DNR navigable waters fact sheet: http://www.dnr.state.wi.us/org/water/fhp/waterway/factsheets/index.htm g. Wetlands and 25ft setback OR start of the SWQMA if connected to navigable water - NR 243.14 (4)(a) (2), Winder-SurfaceWaterViewer.wetlands h. Fields adjacent to or with high potential to drain to impaired or outstanding/exceptional waters (see DNR impawaters map tool: http://dnrmaps.wisconsin.gov/imf/imf.jsp?site=SurfaceWaterViewer) i. Soils with: (1) High Permeability; (2) Within 20 inches to bedrock; or (3) Within 12 inches to apparent water to (see Appendix 1, WI Tech Note WI-1 http://www.wi.nrcs.usda.gov/technical/technotes.html). j. Fields with ephemeral erosion, reoccurring gullies or concentrated flow channels. (NOTE: fields with such soil erosion features do not meet NRCS 590 and need to be stabilized with perennial vegetation or other runoff redu practices. Once established, manure cannot be applied within vegetated flow channels/grassed waterways. If detected, describe in narrative how and when such areas will be stabilized before any manure is applied on field where gullies exist.) k. Fields exceeding T - tolerable soil loss - over the crop rotation.	unity drinking water well (1,000ft setback)	• 0	3
e. Direct conduits to groundwater (100ft setback). f. SWQMA areas and 100ft prohibition, or equivalent. (NOTE: maps must identify all conduits to navigable water These include: ditches, concentrated flow channels, sinkholes, agricultural well heads, open tile line intake structures or open vent pipes in fields that discharge to navigable waters and grassed waterways that drain directly to a navigable water). See DNR navigable waters fact sheet: http://www.dnr.state.wi.us/org/water/fhp/waterway/factsheets/index.htm g. Wetlands and 25ft setback OR start of the SWQMA if connected to navigable water - NR 243.14 (4)(a) (2), Winder Adm. Code. See DNR wetlands map tool: http://dnrmaps.wisconsin.gov/imf/imf.jsp?site=SurfaceWaterViewer i. Soils with: (1) High Permeability; (2) Within 20 inches to bedrock; or (3) Within 12 inches to apparent water to (see Appendix 1, WI Tech Note WI-1 http://www.wi.nrcs.usda.gov/technical/technotes.html). j. Fields with ephemeral erosion, reoccurring gullies or concentrated flow channels. (NOTE: fields with such soil erosion features do not meet NRCS 590 and need to be stabilized with perennial vegetation or other runoff redu practices. Once established, manure cannot be applied within vegetated flow channels/grassed waterways. If detected, describe in narrative how and when such areas will be stabilized before any manure is applied on field where gullies exist.) k. Fields exceeding T - tolerable soil loss - over the crop rotation.		• 0	3
f. SWQMA areas and 100ft prohibition, or equivalent. (NOTE: maps must identify all conduits to navigable water. These include: ditches, concentrated flow channels, sinkholes, agricultural well heads, open tile line intake structures or open vent pipes in fields that discharge to navigable waters and grassed waterways that drain directly to a navigable water). See DNR navigable waters fact sheet: http://www.dnr.state.wi.us/org/water/fhp/waterway/factsheets/index.htm g. Wetlands and 25ft setback OR start of the SWQMA if connected to navigable water - NR 243.14 (4)(a) (2), With Adm. Code. See DNR wetlands map tool: http://dnrmaps.wisconsin.gov/imf/imf.jsp?site=SurfaceWaterViewer) h. Fields adjacent to or with high potential to drain to impaired or outstanding/exceptional waters (see DNR impa waters map tool: http://dnrmaps.wisconsin.gov/imf/imf.jsp?site=SurfaceWaterViewer) i. Soils with: (1) High Permeability; (2) Within 20 inches to bedrock; or (3) Within 12 inches to apparent water to (see Appendix 1, WI Tech Note WI-1 http://www.wi.nrcs.usda.gov/technical/technotes.html). j. Fields with ephemeral erosion, reoccurring gullies or concentrated flow channels. (NOTE: fields with such soil erosion features do not meet NRCS 590 and need to be stabilized with perennial vegetation or other runoff redu practices. Once established, manure cannot be applied within vegetated flow channels/grassed waterways. If detected, describe in narrative how and when such areas will be stabilized before any manure is applied on field where gullies exist.) k. Fields exceeding T - tolerable soil loss - over the crop rotation.	over 200 ppm soil test phosphorus (manure spreading prohibited unless department approval)	• 0	3
These include: ditches, concentrated flow channels, sinkholes, agricultural well heads, open tile line intake structures or open vent pipes in fields that discharge to navigable waters and grassed waterways that drain directly to a navigable water). See DNR navigable waters fact sheet: http://www.dnr.state.wi.us/org/water/fhp/waterway/factsheets/index.htm g. Wetlands and 25ft setback OR start of the SWQMA if connected to navigable water - NR 243.14 (4)(a) (2), Windows Adm. Code. See DNR wetlands map tool: http://dnrmaps.wisconsin.gov/imf/imf.jsp?site=SurfaceWaterViewer.wetlands) h. Fields adjacent to or with high potential to drain to impaired or outstanding/exceptional waters (see DNR impartmants waters map tool: http://dnrmaps.wisconsin.gov/imf/imf.jsp?site=SurfaceWaterViewer) i. Soils with: (1) High Permeability; (2) Within 20 inches to bedrock; or (3) Within 12 inches to apparent water to (see Appendix 1, WI Tech Note WI-1 http://www.wi.nrcs.usda.gov/technical/technotes.html). j. Fields with ephemeral erosion, reoccurring gullies or concentrated flow channels. (NOTE: fields with such soil erosion features do not meet NRCS 590 and need to be stabilized with perennial vegetation or other runoff redu practices. Once established, manure cannot be applied within vegetated flow channels/grassed waterways. If detected, describe in narrative how and when such areas will be stabilized before any manure is applied on field where gullies exist.) k. Fields exceeding T - tolerable soil loss - over the crop rotation.	conduits to groundwater (100ft setback).	• 0	3
g. Wetlands and 25ft setback OR start of the SWQMA if connected to navigable water - NR 243.14 (4)(a) (2), With Adm. Code. See DNR wetlands map tool: http://dnrmaps.wisconsin.gov/imf/imf.jsp?site=SurfaceWaterViewer.wetlands) h. Fields adjacent to or with high potential to drain to impaired or outstanding/exceptional waters (see DNR imparatures map tool: http://dnrmaps.wisconsin.gov/imf/imf.jsp?site=SurfaceWaterViewer) i. Soils with: (1) High Permeability; (2) Within 20 inches to bedrock; or (3) Within 12 inches to apparent water to (see Appendix 1, WI Tech Note WI-1 http://www.wi.nrcs.usda.gov/technical/technotes.html). j. Fields with ephemeral erosion, reoccurring gullies or concentrated flow channels. (NOTE: fields with such soil erosion features do not meet NRCS 590 and need to be stabilized with perennial vegetation or other runoff redupractices. Once established, manure cannot be applied within vegetated flow channels/grassed waterways. If detected, describe in narrative how and when such areas will be stabilized before any manure is applied on field where gullies exist.) k. Fields exceeding T - tolerable soil loss - over the crop rotation.	include: ditches, concentrated flow channels, sinkholes, agricultural well heads, open tile line intake res or open vent pipes in fields that discharge to navigable waters assed waterways that drain directly to a navigable water). See DNR navigable waters fact sheet:	• 0	3
waters map tool: http://dnrmaps.wisconsin.gov/imf/imf.jsp?site=SurfaceWaterViewer) i. Soils with: (1) High Permeability; (2) Within 20 inches to bedrock; or (3) Within 12 inches to apparent water to (see Appendix 1, WI Tech Note WI-1 http://www.wi.nrcs.usda.gov/technical/technotes.html). j. Fields with ephemeral erosion, reoccurring gullies or concentrated flow channels. (NOTE: fields with such soil erosion features do not meet NRCS 590 and need to be stabilized with perennial vegetation or other runoff redu practices. Once established, manure cannot be applied within vegetated flow channels/grassed waterways. If detected, describe in narrative how and when such areas will be stabilized before any manure is applied on field where gullies exist.) k. Fields exceeding T - tolerable soil loss - over the crop rotation.	ds and 25ft setback OR start of the SWQMA if connected to navigable water - NR 243.14 (4)(a) (2), Wis. Code. See DNR wetlands map tool: http://dnrmaps.wisconsin.gov/imf/imf.jsp?	• 0	3
 i. Soils with: (1) High Permeability; (2) Within 20 inches to bedrock; or (3) Within 12 inches to apparent water to (see Appendix 1, WI Tech Note WI-1 http://www.wi.nrcs.usda.gov/technical/technotes.html). j. Fields with ephemeral erosion, reoccurring gullies or concentrated flow channels. (NOTE: fields with such soil erosion features do not meet NRCS 590 and need to be stabilized with perennial vegetation or other runoff redu practices. Once established, manure cannot be applied within vegetated flow channels/grassed waterways. If detected, describe in narrative how and when such areas will be stabilized before any manure is applied on field where gullies exist.) k. Fields exceeding T - tolerable soil loss - over the crop rotation. 		• 0	3
j. Fields with ephemeral erosion, reoccurring gullies or concentrated flow channels. (NOTE: fields with such soil erosion features do not meet NRCS 590 and need to be stabilized with perennial vegetation or other runoff redupractices. Once established, manure cannot be applied within vegetated flow channels/grassed waterways. If detected, describe in narrative how and when such areas will be stabilized before any manure is applied on field where gullies exist.) k. Fields exceeding T - tolerable soil loss - over the crop rotation.	with: (1) High Permeability; (2) Within 20 inches to bedrock; or (3) Within 12 inches to apparent water table.	• 0	3
practices. Once established, manure cannot be applied within vegetated flow channels/grassed waterways. If detected, describe in narrative how and when such areas will be stabilized before any manure is applied on field where gullies exist.) k. Fields exceeding T - tolerable soil loss - over the crop rotation.	with ephemeral erosion, reoccurring gullies or concentrated flow channels. (NOTE: fields with such soil	• 0	5
•	es. Once established, manure cannot be applied within vegetated flow channels/grassed waterways. If d, describe in narrative how and when such areas will be stabilized before any manure is applied on fields gullies exist.)		
1. Subsurface drainage systems (e.g., drain tiles and their outlets).	exceeding T - tolerable soil loss - over the crop rotation.	• 0	5
	face drainage systems (e.g., drain tiles and their outlets).	• 0	3
Does field size and planned manure spreading to all fields reflect acreage lost to SWQMA or other requi setbacks?		• 0	5

Nutrient Management Plan Checklist Livestock/Poultry Operation WPDES Pern Application Form 3400-025B (R 3/12) Page 3

		Yes No	Section
8.	Is phosphorus being correctly managed:	\odot \bigcirc	5
a.	Fields 50-100ppm P: Balance P needs over a maximum 8 year rotation?	• 0	5
b.	Fields 100-200ppm P: Drawdown P by 50% cumulative crop removal over a maximum 4 year rotation ND P Index \leq 6?	• 0	5
c.	Is commercial P above 20lbs in starter being added to fields over 50 ppm P?	• 0	5
9	Are manure analyses being taken, at least annually, for every sample point in the permit and being used to develop the plan? If not completed yet, provide schedule when manure testing will be completed in narrative when plan will be updated with this information	• 0	4
10	Is all manure produced by the farm allocated over the entire rotation or five year permit term ? (NOTE: A rotation may be longer or shorter than a five year permit term. If shorter than 5-years, the rotation must repeat or be amended to reflect, at least, the 5 year permit term).	•	5
11	Are all commercial fertilizers and off-farm nutrients included for every year of rotation?	• 0	5
12	Are all fields owned, rented or in agreements with farm that have, or are planned to, receive manure or process wastewater included in plan? (NOTE: Once a field is included in the plan it must remain so regardless of use/status for the 5-year permit term or rotation - this includes fields used only once during permit term or a rotation. For such fields, projecting what nutrients may be applied is required.)	• 0	2
13	Are all fields in plan managed for the entire rotation? Managed for the entire rotation means: Planning for the sequence of crops, tillage, budgeting and application of nutrients for up to an 8-year period in order to determine field rotational soil loss, rotation avg. P Index, and applicable manure or legume credits for each rotation year.	• 0	2
14	If any fields in plan do not receive manure during the rotation, do they follow UW A2809 crop recommendations for other applied nutrients?	• 0	2
15	Are calibrations provided in plan for all manure hauling equipment (including equipment not owned by the farm)? If no, provide schedule when calibrations will be completed in narrative	•	7
16	Does plan include copies of soil testing for all NMP fields and manure testing results? If not completed yet, provide in narrative a schedule when testing for soil for specific fields or manure will be completed and when plan will be updated with this information.	• 0	4
17	If available, have prior year(s) records (e.g., crop, tillage, nutrients applied) been included in NMP calculations to reflect what actually happened on each field vs. what was planned?	• 0	5
18	Are any fields receiving over-applications of nitrogen based on UW Publication A2809?	• 0	5

State of Wisconsin Department of Natural Resources PO Box 7185, Madison, WI 53707-7185

CAFO Reviewable Facilities of Systems for Livestock/Poultry Operation WPDES Permit

dnr.wi.gov				Form 3400-025G (R6	/18)		Page 1			
Applicants must use this form	for the evaluat	tion of existing fa	cilities	s reviewable under s. N	R 243.16	o, Wis. Adm. Code	2.			
I. Operation Information										
Operation			Contac	t (First , Last)						
Ridge Breeze Dairy			Brad		Gerrit	S				
		· ·	g Address -City		S tate	Zip Code				
W2686 390th Ave		Maid	en Rock		<u>WI</u>	54750				
Location Address -Street, Route or Box				on Address- City		S tate	Zip Code			
W2686 390th Ave			Maid	en Rock		<u>WI</u>	54750			
County	● Town	O Village	City	Section (01 -36)		Township (01-53)	Range XX	ОЕ		
Pierce	SALEM;T			01		25 _N	16	● w		
Phone Number (incl. area code)	Cell Phone N	lumber		Fax Number (incl. area co	de)	Email				
920-944-9450						bgerrits@bree	ezedairygroup.co	m		
	, , , ,	a new CAFO)	и	I	Permit Number				
This Operation is	(check one)	an existing C	CAFO		0062	1928				
II. Design Engineer										
Company	. ,			Engineer Name (First, La	ast)					
Auth Consulting & Asso	ciates			David		McDaniel				
Mailing Address - Street, Route	or Box			City State			Zip Code			
406 Technology Drive E.				Menomonie <u>WI</u>			54751			
Phone Number (w/ area code) 715-232-8490	Cell Phone	e (w/ area code)		Fax Number (w/ area code) E-mail Address: dmcdaniel@authconsulting.com						
								ung.com		
Alternate Contact (First, Last) Michael Bucher		E-mail				mber (w/ area code) 32-8490)			
		mbucher@a			713-2	52-0490				
		Profession E	nginee	gineer WI License 30605						
Preparer is a (s	select one):	O Certified Agr	icultura	Itural Engineering Practitioner (DATCP / County /NRCS engineers or techs)						
		OProfessional	Hydrolo	rdrologist WI License No:						
		Other: Specif	у							
Reviewable Project Type No Evaluation Required	(check all	that apply):		Dave of Storage (`alaulation	o (ND 242 15(2))				
Manure storage (NR 243.1	E(2) 9 NIDCS 2	12)		Days of Storage Calculations (NR 243.15(3))						
				Manure Stacking (NR 243.15(8) & NRCS 313)						
Manure Transfer Pipe (NR	243.15(4) & NF	RCS 634)		Manure Transfer Channel (NR 243.15(4) & NRCS 634)						
Reception Tank (NR 243.	15(4) & NRCS 6	334)		Detention Basin (NR 243.15(3), NRCS 313 & CPS 1001)						
Digester (NR 243.15(5) & NRCS 313, 634)				Non-Ag Waste Addition for Digester (NR 243.17(1), (2) & NRCS 313)						
Composting (NR 243.15(8), 502.12 & NRCS 313)				Sand Separation (NR 243.15(4) & NRCS 632, 634)						
Solids Separation (NR 243	3.15(4) & NRCS	632, 634)		Process Wastewa	ter (NR 2	213 & NRCS 313)				
Feed storage area (s. NR 2	243.15(9))			Runoff Controls ((NR 243.1	5(2) & NRCS 635)				
Vegetated Treatment Area	(NR 243.15(2)	& NRCS 635)		Irrigation Pipeline	(NR 243	.15(4) & NRCS 430	, 634)			
Closure/Discontinuing (NF	R 243.17(7) & N	RCS 360)		☐ Biofilter (NR 243.15(2), (4) and (9) & NRCS 313)						
Groundwater Monitoring (NR 243.15(7))				Well Waiver Request (NR 243.09))						

Forms and Attachments

To help us make a decision in the shortest amount of time possible, the following Supplemental Attached Forms	information must be submitted:
Form 3400-25 (Application):	
Contact Information Completion Status:	Complete
Facility Information Completion Status:	Complete
Form 3400-25A (Animal Units Checklist):	
Completion Status:	Complete
Form 3400-025B (Nutrient Management Plan Checklist) :	
Completion Status:	Complete
Form 3400-025G (Evaluated Facilities of Systems for Livestock/Poultry Operation):	
Completion Status:	Complete
Upload Required Attachments (15 MB per file lim Nutrient Management Plan: Completion Status:	
Evaluations & 180 Day Storage Documentation:	
	amulaka
Completion Status:	
This section is only for submitting evaluations of existing facilities a Submittal of plans and specifications for proposed structures/syste ePermitting system for livestock operations.	
Site Specific Documents :	

Completion Status: Complete

Plans, Maps and Reports

Upload Required Attachments (15 MB per file limit) - Help reduce file size and trouble shoot file uploads

Section 1 – Additional Check	lists						
NR243 LINK - http://datcp.w	vi.gov/uploads	/Farms/pdf/	NMPLANCHEC	KLISTarm-lwr480.pdf			
Attach the completed N	RCS 590 here:	U File Attachi	ment	<u>Document 2024-01-</u> 19 143659.pdf			
Section 2 - Plan Narrative							
Attach the completed NRCS 590 here: File Attachment							
Add files (split into multiple		File Attachr	nment <u>1.doc</u>				
Section 3 - Maps							
				_			
Spreading Restrictions Map :	File Attachme	ent	<u>1.zip</u>				
Soil Map:	File Attachmo	ent		Attached separately			
Topographical Map:	■ File Attachm	ent	<u>Topos.zip</u>				
Drain Tile Map:	■ File Attachm	ent		Attached separately			
Shallow Groundwater Map:	File Attachm	nent		Attached separately			
Bedrock Map:	File Attachm	ent		✓ Attached separately			
Winter Spreading Map:	File Attachme	ent	Winter.zip				
Field Map:		nt		✓ Attached separately			
Other Maps	File Attachment	nt	Feb2023Headla ingSiteApprova RidgeBreezeDa	<u>l-</u>			

Other Maps U File Attachment	0.	4-03-002.pdf		
Other Maps U File Attachment	<u>O</u>	<u>4-03-018-020.</u>	.pdf	
Section 4 - Manure Analyses and Soil Test red	cords			
Manure Analysis Records(split into multiple items if larger than 15 MB)	File Attachme	ent	RBDManureAverages2023.pdf	
Soil Test Records (split into multiple items if larger than 15 MB):	File Attachme	ent	RidgeBreezeDairy.pdf	
Section 5 - Field Specific reports				
Field Specific reports (nutrient budgeting, consiste management, spreading reports, other)	ency with UW	recommenda	tions, meeting T, NR 243 PI and P	
Split files into multiple items if larger than 15 MB:	File Attachme	ent	RidgeBreezeDairy.pdf	
Split files into multiple items if larger than 15 MB:	File Attachme	ent	RidgeBreezeDairy.pdf	
Section 6 - Farm Reports Farm Reports (total manure production from plant	ned herd size	manure annl	ications and total acres available	
manure equipment calibrations, manure storage of winter spreading procedures)				
Split files into multiple items if larger than 15 MB:	File Attachme	ent	RidgeBreezeDairy- NutrientMassBalance.pdf	
Split files into multiple items if larger than 15 MB:		ent	RidgeBreezeDairy.zip	
Split files into multiple items if larger than 15 MB:	File Attachment		RidgeBreezeDairy.zip	
	D			
Section 7 – Inspections, Record Keeping and	Keporting	1		
Split files into multiple items if larger than 15 MB:	ent	RidgeBreeze	eDairy.zip	
Split files into multiple items if larger than 15 MB:	ent	RidgeBreezeDairy.pdf		
Split files into multiple items if larger than 15 MB:	ent	RidgeBreeze	eDairy.pdf	
Section 8 - Other supporting documentation				
This includes other files, manure application equip	oment specs,	etc.		
Split files into multiple items if larger than 15 MB:	ent		✓ Not Applicable	

Facility Plan Documents

Upload Required Attachments (15 MB per file limit) - Help reduce file size and trouble shoot file uploads

	Narrative				
Ø	File Attachment	RidgeBreeze-\	WPDESI	Narrative.pdf	<u>f</u>
	Calculations				
Ø	File Attachment				
	Drawings				
U	File Attachment	FIGURE2.pdf			
	Geo Technical Rep	orts			
U	File Attachment				
Liqui	d Manure Storage				
	180-Day Liquid Manure Volume Calc	ulations:			<u>LiquidWasteStorageSpreadsheet.pdf</u>
			nplate i	s a Microsoft	Excel spread sheet published by the WI DNR.
1.	would like to use this pre- Download the spreadshe	•	ur com	puter	
2.	Open the spreadsheet in	· · · · · · · · · · · · · · · · · · ·	· ·	-	ft .xls file.
3.	Complete the form and	•			
4.	Upload the completed fi	le to the attachmen	t area a	above	
	rting Document for 180-c nure Storage Volume Ca		0	File Attachment	t 2023SingleWasteStorageCalculations.pdf
					Volume Calculations template is a Microsoft
Excel s	pread sheet published by Download the spreadshe	•			s pre-built template:
2.	Open the spreadsheet in	· · · · · · · · · · · · · · · · · · ·	· ·	-	ft .xls file.
3.	Complete the form and	•			
4.	Upload the completed fi	le to the attachmen	t area a	above	

Missingitems:	
wiissingiteins.	

Site Specific Documents

Upload Required Attachments (15 MB per file limit) - Help reduce file size and trouble shoot file uploads

Site Maps		
Aerial Maps for each site:	File Attachment	FIGURE2.pdf
Soil Maps for each site:	■ File Attachment	SoilsMap.pdf
Environmental Analysis Question	nnaire	
	File Attachment	
An <u>Environmental Analysis Questionnaire</u> (E hyperlink, fill out, and then attach the docur		rt of your application. Please download using the
Other		
Other Attachments:	File Attachment	RidgeBreeze-WPDESNarrative.pdf
(Click insert to add additional attac arrow appears, select insert or rem		over over the file name field. When the drop down

State of Wisconsin Department of Natural Resources PO box 7185, Madison WI 53707-7185 dnr.wi.gov

Animal Unit Calculation Worksheet Form 3400-25A (R 3/2012)

The current Animal Unit Calculation Worksheet must be filled out <u>separately</u> for the "main" site and each site which are owned or operated by your farm for the purposes of housing animals associated with your operation. The site name, for which you are filling this worksheet out, must be provided below and correlate with Form 3400-25 Site Information (Section II).

Current Animal Unit Calculation Numbers

Name of Site: Ridge Breeze Dairy

Note: Site Selections can	he modified o	r added on nage	2 of Form 3400-25
Note. Site Selections can	be illoullied o	n auueu on page	: 2 UI FUIIII 34UU-23

Check here if there are no projected increases in animal numbers at this site within the next five years.

☐ No Animals present at this site.

		I. Mixed Animal Units					II. No	II. Non-Mixed Animal Units		
	Animal Type	b. Equiv. Factor	% o _l conf me	ine-	c. Current Number	d. No. of AUs	e. Equiv. factor	f. Current Number	g. No of AUs	
Εx	cample - Broilers (non-liquid manure):	0.005 x	80 %		150,000	= 750	0.008 x	150,000	= 1200	
	Dairy Calves (under 400 lbs)	0.2 x	0	%	0	0.0				
	Beef Calves (under 400 lbs)		0	%	0	0.0				
te	Milking & Dry Cows	1.40 x	0	%	1,700	2,380.0	1.43	1,700	2,431.0	
/ Cattle	THEILERS LOOK IDS TO TECONIDS)	1.10 x	0	%	0	0.0	1.00	0	0.0	
Dairy	Heifers (400 lbs to 800 lbs)	0.60 x	0	%	0	0.0	1.00	Ů	0.0	
Beef	Steers or Cows (400 lbs to market)	1.00 x	0	%	0	0.0	1.00		0	
8	Bulls (each)	1.40 x	0	%	0	0.0	1.00	0	0	
	Veal Calves	0.50 x	0	%	0	0.0	1.00	0	0	
	Pigs (up to 55 lbs)	0.10 x	0	%	0	0.0	0.10	0	0.0	
Swine	Pigs (55 lbs to market)	0.40 x	0	%	0	0.0				
SW	Sows (each)	0.40 x	0	%	0	0.0	0.40	0	0.0	
	Boars (each)	0.50 x	0	%	0	0.0				
SI	Layers (each) -non-liquid manure system	0.01 x	0	%	0	0.0	0.0123	0	0.0	
Chickens	Broilers/Pullets (each) -non-liquid manure system	0.005 x	0	%	0	0.0	0.008	0	0.0	
ភ	Per Bird -liquid manure system	0.033 x	0	%	0	0.0	0.0333	0	0.0	
cks	Ducks (each) -liquid manure system	0.2 x	0	%	0	0.0	0.2	0	0.0	
Duck	Ducks (each) -non-liquid manure system	0.01 x	0	%	0	0.0	0.0333	0	0.0	
	Turkeys (each)	0.018 x	0	%	0	0.0	0.018	0	0.0	
	Sheep (each)	0.1 x	0	%	0	0.0	0.1	0	0.0	
	Horses (each)	2 x	0	%	0	0	2	0	0	

Total Animal Units

Total Mixed Animal Units= (add all rows above) 2,380.0 **Total Non -Mixed Animal Units=** (Enter the single highest number from any row above; DO NOT add the totals)

2,431.0

State of Wisconsin Department of Natural Resources PO box 7185, Madison WI 53707-7185 dnr wi gov

Animal Unit Calculation Worksheet Form 3400-25A (R 3/2012)

The current Animal Unit Calculation Worksheet must be filled out **separately** for the "main" site and each site which are owned or operated by your farm for the purposes of housing animals associated with your operation. The site name, for which you are filling this worksheet out, must be provided below and correlate with Form 3400-25 Site Information (Section II).

Projected Animal Unit Calculation Numbers

Name of site: Ridge Breeze Dairy

			I. Mixed	Animal Units	II. Non-Mixed Animal Units			
	Animal Type	b. Equiv. Factor	% open confine- ment	c. Current Number	d. No. of AUs	e. Equiv. factor	f. Current Number	g. No of AUs
Ех	rample - Broilers (non-liquid manure):	0.005 x	80 %	150,000	= 750	0.008 x	150,000	= 1200
	Dairy Calves (under 400 lbs)	0.2 x	0 %	0	0.0			
	Beef Calves (under 400 lbs)		0 %	0	0.0			
tle	Milking & Dry Cows	1.40 x	0 %	6,200	8,680.0	1.43 x	6,200	8,866.0
y Cattle	Heifers (800 lbs to 1200 lbs)	1.10 x	0 %	300	330.0	1.00 x	300	300
Dairy	Heifers (400 lbs to 800 lbs)	0.60 x	0 %	0	0.0			
Beef	Steers or Cows (400 lbs to market)	1 .00 x	0 %	0	0	1.00 v	0	0.0
æ	Bulls (each)	1.40 x	0 %	0	0.0	1.00 x		0.0
	Veal Calves	0.50 x	0 %	0	0.0	1.00 x	0	0.0
	Pigs (up to 55 lbs)	0.10 x	0 %	0	0.0	0.10 x	0	0.0
Swine	Pigs (55 lbs to market)	0.40 x	0 %	0	0.0		0	
SW	Sows (each)	0.40 x	0 %	0	0.0	0.40 x		0.0
	Boars (each)	0.50 x	0 %	0	0.0			
SI	Layers (each) -non-liquid manure system	0.01 x	0 %	0	0.0	0.0123 x	0	0.0
Chickens	Broilers/Pullets (each) -non-liquid manure system	0.005	0 %	0	0.0	0.008 x	0	0.0
O	Per Bird -liquid manure system	0.033	0 %	0	0.0	0.0333 x	0	0.0
cks	Ducks (each) -liquid manure system	0.2 x	0 %	0	0.0	0.2 x	0	0.0
Ducks	Ducks (each) -non-liquid manure system	0.01 x	0 %	0	0.0	0.0333 x	0	0.0
	Turkeys (each)	0.018 x	0 %	0	0.0	0.018 x	0	0.0
	Sheep (each)	0.1 x	0 %	0	0.0	0.1 x	0	0.0
	Horses (each)	2 x	0 %	0	0	2 x	0	0

Total Animal Units

Total Mixed Animal Units= (add all rows above) 9,010.0 **Total Non -Mixed Animal Units=** (Enter the single highest number from any row

above; DO NOT add the totals)

8,866.0

Sign and Submit Permit

Steps to Complete the signature process

- 1. Read and Accept the Terms and Conditions
- 2. Press the Initiate Signature Process button
- 3. You will receive an email (within 5 minutes) with instructions to complete the signature process.
- 4. Follow the instructions in the email.

You will receive an acknowledgement email upon completing these steps.

Terms and Conditions

I certify that:

- 1. I am the owner or corporate officer (if incorporated) of the operation submitting this WPDES permit application, and my name and electronic signature are provided below.
- 2. I have reviewed the information contained in this application and that to the best of my knowledge and belief such information is true, complete and accurate.
- 3. I concur with all applicable certifications below relating the Nutrient Management Plan and any engineering plans or evaluations included within (or required as part of) this application.
- 4. I believe that the provided CAFO Nutrient Management Plan complies with all NR 243.14, Wis. Adm. Code, and applicable NRCS 590 criteria.
- 5. I believe the proposed project will comply with discharge limitations in s. NR 243.13, Wis. Adm. Code.
- 6. For proposed plans and specifications, a post construction report will be submitted to the DNR with a statement that construction conforms with applicable administration codes, NRCS Standards, and approved plans and specifications.

I understand that pursuant to s. 283.91(4), Wis. Stats., any person who knowingly makes any false statement representation or certification in a document filed with the DNR may be punished by a fine of not more than \$10,000 or by imprisonment for not more than 6 months or both.

NOTE: For security purposes all email correspondence will be sent to the address you used when registering your WAMS ID. This may be a different email than that provided in the application. For information on your WAMS account click HERE.

Authorized Signature

Inter Your Name: Michael Bucher

Signed by: i:0#.f|wamsmembership|mikebucher on 2024-01-22T08:52:13

and conditions.

After providing the final authorized signature, the system will send an email to the authorized party and any agents. This email will include a copy to the final read only version of this application.